

Accessories




MODEL : ACC-3VMPP1

3 Valve Manifold (for DP Instruments)

(Seperately Mounted)

Three Valve Manifold incorporates two process isolation valves and one equalizer valve with separate connections in a compact manifold block. Model 3VMPP1 is designed for remote mounting away from the differential pressure instrument and joined by tube or pipe impulse lines. They have threaded connections. Dimensions shown below are for the standard 54 mm or 2-1/8 inch centre distance, found in majority of instruments.



Specifications

Connections	Process : 1/2" NPT (F) Instrument : 1/2" NPT (F)	Gland Packing	PTFE : Standard GRAPHOIL: Temperatures above 180°C
Test Pressure	@25°C Room Temperature Hydrostatic: Body - 620 bar Seat - 415 bar Pneumatic : Seat - 40 bar	Material	A105, A182GRF304, A182GRF316, Monel, Hastelloy
		Finish	CS zinc plated, SS Natural

Ordering Information

MODEL : ACC

<p>ITEM DESCRIPTION 3VMPP1 Three Valve Manifold</p> <p>MATERIAL CST Carbon Steel S4S SS 304 S4L SS 304L S6S SS 316 S6L SS 316L 321 SS 321 MN4 Monel HCC Hastelloy-C XXX Other (Please specify)</p>	<p>OPTION NAC NACE OXY O2 Cleaning L Nil XXX Other (Please specify)</p>	<p>Note: This catalogue indicates the general specifications used for most of the process applications. Any other specification not appearing here also can be provided as per customer requirement.</p> <p style="text-align: right;">Sample Model Code: ACC-3VMPP1-S6L-NAC</p>
--	--	--